

Material Safety Data Sheet

Vision: A/3 Edition date: Jan.6th. 2022
NM-MR-RD-020

NM-Carbomer 934P

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product Name:	NM-Carbomer 934P
1.2 INCI Name:	CARBOMER
1.3 CAS NO.:	9003-01-4
1.4 Chemical family:	Polyacrylic acid
1.5 Company Details:	
Manufacture/Supplier:	Anhui Newman Fine Chemicals Co.,Ltd
Production Base:	North No.7 Rd, Modern Industrial Park, Jinzhai, Anhui Pr., China.
Telephone Number:	86(564)7368085
Fax Number:	86(564)7368085
Emergency Telephone Number:	86(564)7368085
Global Business Center:	Rm 103, No.37 Jiannan str. Changgang Middle Road, Haizhu Dist. Guangzhou, Guangdong Pr.,China
Telephone Number:	86(0564)7368085
Fax Number:	86(0564)7368085
Contact Person:	Technical support engineer
1.6 Date issued:	Jan 2022

2. HAZARDS IDENTIFICATION

2.1 Appearance	White powder.
2.2 Odor	Slight acetic.
2.3 Classification:	Hazardous to the aquatic environment (acute hazard) category 3.
2.4 Target Organs:	Not determined.
2.5 Signal Word:	Not determined.
2.6 Hazard statement:	Harmful to aquatic life.
2.7 Other Hazards:	None identified.
2.8 Precaution(s):	Avoid release to the environment.
2.9 Response:	
In case of fire:	Use CO ₂ , dry chemical, foam, water spray or water fog for extinction. Carbon dioxide may be ineffective on larger fires due to a lack of cooling capacity which may result in reignition. Avoid hose stream or any method which will create dust clouds.
If on skin:	Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.
If in eyes:	Rinse cautiously with water for several minutes. Get medical attention.
If inhaled:	If experiencing respiratory symptoms: Call a POISON CENTER or doctor. If breathing is labored, administer oxygen. If breathing has stopped, apply artificial respiration.
If swallowed	Call a POISON CENTER or doctor if you feel unwell. Treat symptomatically.
2.10 Storage Procedures:	Store in a cool, dry, well-ventilated location. Store in a closed container.
2.11 Disposal:	All disposal practices must be in accordance with local, national and international regulations.
<i>See Section 11 for complete health hazard information.</i>	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Information on Ingredients:			
Chemical Name	CAS No.	Weight %	Carcinogen
Polyacrylic acid	9003-01-4	Not less than 98.95	N/E
Residual acrylic acid	79-10-7	≤0.25	N/E
Residual Ethyl Acetate/ Cyclohexane	141-78-6/11	≤0.50/0.30	N/E
	0-82-7		

4. FIRST AID MEASURES

4.1 Eye Contact:	Immediately flush eyes with plenty of one percent (1%) physiological saline solution for five (5) minutes while holding eyelids open. If no saline is available, flush with plenty of clean water for fifteen (15) minutes. See a physician. Water (moisture) swells this product into a gelatinous film which may be difficult to remove from the eye using only water.
4.2 Skin Contact:	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.

Material Safety Data Sheet

Vision: A/3 Edition date: Jan.6th. 2022
NM-MR-RD-020

NM-Carbomer 934P

4.3 Inhalation:	Remove exposed person to fresh air if adverse effects are observed. If breathing is labored, administer oxygen. If breathing has stopped, apply artificial respiration. If irritation persists or if toxic symptoms are observed, get medical attention.			
4.4 Ingestion:	Treat symptomatically. Get medical attention.			
4.5 Advice for the protection of first-aid providers	When providing first aid always protect your self against exposure to chemicals or blood born diseases by wearing gloves, masks and eye protection. If providing CPR use mouthpieces, resuscitation bags, pocket masks or other ventilation devices. After providing first aid wash your exposed skin with soap and water.			
4.6 Note to physicians:	Note to physician: Treat symptomatically.			
5. FIRE FIGHTING MEASURES				
5.1 Flash Point:	Not Applicable.			
5.2 Fire and explosive properties	Min. Explosive Concentration 0.13 oz/ft3 (130 g/m3) Min. Ignition Energy > 0.03 joules Max. Rate of Pressure Rise 5500 psi/sec @ 0.5 oz/ft3 (379.21 bar/s @ 501 g/m3) Max. Pressure of Explosion 70 psi @ 0.5 oz/ft3 (4.83 bar @ 501 g/m3) Volume Resistivity 0.32 x 10 ⁺¹⁵ ohm-cm. Explosion Severity 2.02 (Severe) Ignition Temperature of Dust Cloud 520 °C (968 °F). This product has a high volume resistivity and a propensity to build up static electricity which may be discharged as a spark. A spark can be an ignition source for solvent vapor/air mixtures. If you add this product to a solvent, ensure appropriate safe handling practices such as provision for inerting flammable vapors. As with all organic dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders.			
5.3 Extinguishing Media:	CO2, dry chemical, foam, water spray, water fog. Carbon dioxide may be ineffective on larger fires due to a lack of cooling capacity which may result in reignition. Avoid hose stream or any method which will create dust clouds.			
5.4 Unsuitable Extinguishing Media:	Not determined.			
5.5 Fire fighting Procedures:	Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots.			
5.6 Unusual fire / explosion hazards:	Solid does not readily release flammable vapors. Material can form an explosive organic dust air mixture. See section 10 for additional information.			
6. ACCIDENTAL RELEASE MEASURES				
6.1 Personal precaution, protective equipment and emergency Procedures:	Personal protective equipment must be worn. Caution - this material is slippery when wet.			
6.2 Environmental precaution and protective procedures:	Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.			
6.3 Methods for clean-up and removal:	Pick up free solid for recycle and/or disposal. Avoid raising a dust. Wash spill area with detergent.			
7. HANDLING AND STORAGE				
7.1 Handling:	Keep material away from heat, sparks, pilot lights, static electricity and open flame. Avoid creating dust. Maintain good housekeeping practices. Avoid drinking, tasting, swallowing or ingesting this product. Avoid inhalation of dust, aerosol, mist, spray, fume, or vapor. Use with appropriate and adequate ventilation. Ground and bond containers when transferring material. Avoid prolonged skin contact. Launder contaminated clothing before reuse. Dispose of packaging or containers in accordance with local, regional, national and international regulations.			
7.2 Storage:	Take precautions to avoid release to the environment. Store in a cool, dry, well-ventilated area. Keep container closed when not in use.			
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
8.1 Exposure Limits:				
	Comp CAS No. Long Term (8 Hours T.W.A.) Short Term (15 mins.)			
EU	Not applicable.			
Australia	Acrylic acid	79-10-7	2 ppm	N/E

Material Safety Data Sheet

Vision: A/3 Edition date: Jan.6th. 2022
NM-MR-RD-020

NM-Carbomer 934P

New Zealand Acrylic acid	79-10-7	2 ppm	N/E
8.2 Other Exposure Limits:	The industry-recommended permissible exposure limit for respirable polyacrylate dusts is 0.05 mg/m ³ .		
8.3 Engineering Controls:	If use generates a dust, local exhaust ventilation is recommended. Prevent inhalation by providing effective general and, when necessary, local exhaust ventilation to draw dust away from workers. Avoid high concentrations of dust in air and accumulation of dust on equipment.		
8.4 Personal Protective Equipment			
Respiratory Protection:	Use respirator with a High Efficiency Particulate Air (HEPA) filter if the recommended exposure limit is exceeded Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.		
Eye Protection:	Safety glasses or goggles.		
Hand Protection:	Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur wear chemically protective gloves.		
Clothing Recommendation:	Long sleeve shirt is recommended.		
Hygiene Measures:	Wash thoroughly after handling this product.		
9. PHYSICAL AND CHEMICAL PROPERTIES			
9.1 Physical State:	White powder		
9.2 Odor:	Slight acetic		
9.3 pH (@ 0.2% in H ₂ O):	2.5~ 4.0		
9.4 Evaporation rate:	Non-volatile		
9.5 Water Solubility:	Material will swell in water.		
9.6 Loss by drying: :	≤ 2.0 %		
9.7 Vapor pressure:	Not Applicable		
9.8 Melting point	Not available		
9.9 Vapor density:	Non-volatile		
9.10 Bulk Density:	0.21~ 0.27 g/mL		
9.11 Flash Point:	Not Applicable		
9.12 Autoignition Point	520 °C (968 °F)		
9.13 Explosion Data:	Dust can form explosive mixtures in the air.		
10. STABILITY AND REACTIVITY			
10.1 Chemical Stability:	Material is normally stable at moderately elevated temperatures and pressures.		
10.2 Incompatibility with other materials:	Heat may be generated if polymer comes in contact with strong basic materials like ammonia, sodium hydroxide or strong basic amines.		
10.3 Polymerization:	Will not occur.		
10.4 Decomposition	Not determined.		
Temperature:			
10.5 Thermal Decomposition:	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.		
10.6 Conditions to Avoid:	Not determined.		
11. TOXICOLOGICAL INFORMATION			
11.1 ACUTE EXPOSURE			
Eye Irritation	Not expected to cause eye irritation. Based on data from similar materials. Particulates may cause mechanical irritation. Solid particles (powder or dust) on the eye may cause pain and irritation.		
Skin Irritation	Not expected to be a primary skin irritant. Based on data from similar materials. Contact dermatitis may occur in sensitive individuals under extreme and unusual conditions of prolonged and repeated contact, such as high exposure accompanied by elevated temperature and occlusion by clothing. This effect may be the result of the product's hygroscopic properties, abrasion, or pH.		
Respiratory Irritation	Breathing of dust may cause coughing, mucous production, and shortness of breath.		
Dermal Toxicity	No data.		
Inhalation Toxicity	Avoid inhalation of dust. And inhalation of respirable polyacrylate dust may cause inflammatory changes in the lung.		
Oral Toxicity	No data.		
Dermal Sensitization	Not expected to cause skin sensitization.		
Inhalation Sensitization	No data available to indicate product or components may be respiratory sensitizers.		
Aspiration Hazard	Not determined.		

Material Safety Data Sheet

Vision: A/3 Edition date: Jan.6th. 2022
NM-MR-RD-020

NM-Carbomer 934P

11.2 CHRONIC EXPOSURE

Chronic Toxicity	No data.
Carcinogenicity	Not listed as a carcinogen or suspect carcinogen by NTP, IARC or OSHA.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

11.3 ADDITIONAL INFORMATION

Pre-existing skin conditions may be aggravated by prolonged or repeated exposure. Persons with sensitive airways (e.g., asthmatics) may react to vapors. This material readily absorbs moisture and may become thick and gelatinous upon contact with mucous membranes of the eye, or upon inhalation into the nasal passages.

12. ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL TOXICITY: No data.

12.2 ENVIRONMENTAL FATE

Biodegradation	At least 25% of the components in this product show limited biodegradation based on OECD 301-type test data. At least 25% of the components in this product show limited biodegradation based on OECD 302-type test data.
Bioaccumulation	Less than 1.0% of the components will not bioconcentrate, based on actual data.

13. DISPOSAL CONSIDERATIONS

13.1 Disposal Method:	All disposal practices must be in accordance with local, regional, national and international regulations. Do not dispose in landfill. Dispose of packaging or containers in accordance with local, regional, national and international regulations.
-----------------------	---

14. TRANSPORT INFORMATION

ICAO/IATA I	Not regulated. Not Hazardous/Not Restricted as per IATA SP A3
ICAO/IATA II	Not regulated
IMDG	Not regulated
IMDG EMS Fire	Not applicable.
IMDG EMS Spill	Not applicable.
IMDG MFAG	Not applicable.
MARPOL Annex II	Not determined.
USCG Compatibility	Not determined.
DOT NAERG	171

15. REGULATORY INFORMATION

Global Chemical Inventories	
USA	All components of this material are on the US TSCA Inventory or are exempt.
Other TSCA Reg.	None known.
EU	All components are in compliance with the EC Seventh amendment Directive 92 /32/EEC.
Japan	All components are in compliance with the Chemical Substances Control Law of Japan.
Australia	All components are in compliance with chemical notification requirements in Australia.
New Zealand	All components are in compliance with chemical notification requirements in New Zealand.
Canada	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.
Switzerland	All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.
Korea	All components are in compliance in Korea.
Philippines	All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).
China	All components of this product are listed on the Inventory of Existing Chemical Substances in China.
Miscellaneous	Not determined.
Regulatory Information:	

16. OTHER INFORMATION

16.1 Contact Point:	Technical Services Engineer 86(564)7368085		
16.2 Prepared by:	Anhui Newman Fine Chemicals Co.,Ltd.		
16.3 US NFPA Codes:	Health	Fire	Reactivity Special



Material Safety Data Sheet

Vision: A/3 Edition date: Jan.6th. 2022
NM-MR-RD-020

NM-Carbomer 934P

16.4 HMIS Codes:	1	1	0	N/E
	Health	Fire	Reactivity	
	0	1	0	

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable state, and local laws and local regulations remains the responsibility of the user.

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to develop appropriate work practice guidelines and employee instructional programs for your operation.